

1FCW

Date: November 30, 2004

I hereby certify that, on the date indicated above, I deposited this paper with identified attachments and/or fee with the U.S. Postal Service and that it was addressed for delivery to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 by "First Class Mail" service.



Donald S. Prater
Name (Print)

Donald S. Prater
Signature

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

| | | |
|---|---|------------------------|
| In re the Application of: REZNEK et al. |) | Examiner: Unassigned |
| Application No.: 10/650,124 |) | Group Art Unit: 3623 |
| Filed: August 27, 2003 |) | Confirmation No.: 5523 |
| Docket No. CBK03073 (3600-374-44) |) | |

For: METHODS OF SPECIFYING OR IDENTIFYING PARTICULATE MATERIAL

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT
PURSUANT TO 37 CFR 1.97(b)

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

November 30, 2004

The PRO did not receive the following listed items(s)

Sir:

The attention of the Patent and Trademark Office is hereby directed to the documents listed on the attached Form PTO-1449. Pursuant to the current United States Patent and Trademark Office rules, no copies of U.S. Patents/Patent Application Publications are provided.

This Supplemental Information Disclosure Statement is being submitted after expiration of the three-month period following filing of the above-captioned application, but before an Office Action on the merits and before any Final Office Action or Notice of Allowance.

Should a first Office Action cross in the mail with the filing of this Supplemental Information Disclosure statement, then applicants respectfully petition under 37 C.F.R. § 1.97(c) to consider the documents set forth in the Supplemental Information Disclosure Statement.

The above information is presented so that the Patent and Trademark Office can, in the first instance, determine any materiality thereof to the claimed invention. See 37 CFR 1.104(a) and 1.106(b) concerning the PTO duty to consider and use any such information. It is respectfully requested that the information be expressly considered during the prosecution of this application,

Supplemental Information Disclosure Statement
U.S. Patent Application No. 10/650,124


and that the documents cited in the attached Form PTO-1449 be made of record therein and appear on the first page of any patent to issue therefrom.

This submission does not represent that a search has been made or that no better art exists and does not constitute an admission that each or all of the listed documents are material or constitute "prior art." If the Examiner applies any of the documents as prior art against any claim in this application and applicant determines that the cited documents do not constitute "prior art" under United States law, applicant reserves the right to present to the office the relevant facts and law regarding the appropriate status of such documents.

Applicant further reserves the right to take appropriate action to establish the patentability of the disclosed invention over the listed documents, should one or more of the documents be applied against the claims of the present application.

It is believed that no fee is required to make this a complete and timely filing. However, if it is determined that a petition or fee is required, the Commissioner is hereby authorized to charge any fee associated with this statement to our Deposit Account No. 50-0925 and please consider this a petition.

Respectfully submitted,


Luke A. Kilyk
Reg. No. 33,251

Atty. Docket No.: CBK03073 (3600-374-44)
KILYK & BOWERSOX, P.L.L.C.
53 A East Lee Street
Warrenton, VA 20186
Tel.: (540) 428-1701
Fax: (540) 428-1720
Enclosures: Form PTO-1449 and 56 documents



| | | |
|--|--|----------------------------|
| FORM PTO-100 (REV 7-80) | Atty. Docket No. CBK03073 (3600-374-44) | Application No. 10/650,124 |
| SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT | APPLICANT: REZNEK et al. | |
| | Filing Date: August 27, 2003 | Group Art Unit: 3623 |

U.S. PATENT DOCUMENTS

| EXAMINER'S INITIALS | DOCUMENT NUMBER | DATE | NAME | CLASS | SUB-CLASS | FILING DATE, IF APPROPRIATE |
|---------------------|-----------------|----------|--------------------|-------|-----------|-----------------------------|
| | 5,190,739 | 5/2/93 | MacKay et al. | 423 | 430 | previously considered |
| | 5,211,932 | 5/18/93 | Blaylock et al. | 423 | 450 | |
| | 5,688,317 | 11/18/97 | MacKay et al. | 106 | 476 | |
| | 5,974,167 | 10/26/99 | Reszler | 382 | 141 | |
| | 6,156,837 | 12/5/00 | Branan, Jr. et al. | 524 | 495 | |
| | 2003/0162876 A1 | 8/28/03 | Vanier et al. | 524 | 437 | |

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

| Attachment - Development History | |
|----------------------------------|---|
| /LA/ | Strom, "Wetting studies related to offset printing," Vol. 50-04C, pp. 768 (1988) Abstract only |
| | Tikhonov, "On the evaluation of the work of adhesion, cohesion, and surface tension of high - viscous and solid bodies," Kolloidn Zh. Vol. 53, No. 3, pp. 552-558 (1991) Abstract only |
| | Janczuk, et al., "Surface free energy components and adsorption properties of some porous glasses," Mater Chem Phys. Vol. 25, No. 2, pp. 185-198 (1990) Abstract only |
| | Janczuk, et al., "Surface free energy of celestite and its flotation activity," Colloids Surf. Vol. 35, No. 1, pp. 41-48 (1989) Abstract only |
| | Wojcik et al., "Gas-adsorption studies on correlations between the flotability of minerals and the work of water adhesion to their surfaces," Colloids Surf. Vol. 30, No. 3-4, pp. 275-285 (1988) Abstract only |
| | Lipatov, "Adhesion at the polymer mixtures-solid interface," Vide, Couches Minces, Vol. 50 (274), pp. 415-420 (1994) Abstract only |
| | Hill, "Wall slip in polymer melts: A pseudo-chemical model," J. Rheol. Vol. 42, No. 3, pp. 581-601 (1998) Abstract only |
| | Scheie, "The upward force on liquid in a capillary tube," Am. J. Phys. Vol. 57, No. 3, pp. 278-289 (1989) Abstract only |
| | Lee et al., "Effects of polymer-filler interaction on the mechanical properties of nylon 6,6 filled with organosilane-treated fillers," J. Adhes. Sci. Technol., Vol. 3, No. 4, pp. 291-303 (1989) Abstract only |
| | Abramzon et al., "Determination of the work of adhesion and cohesion" ZH. Prikladnoi Khim, Vol. 53, No. 5, pp. 1040-1043 (1980) Abstract only |
| | Mangipudi et al., Direct measurement of molecular level adhesion between poly(ethylene terephthalate) and polyethylene films: Determination of surface and interfacial energies," J. Adhesion Sci. Technol., Vol. 8, No. 11, pp. 1251-1270 (1994) Abstract only |
| | Owen, "Surface properties of silicone release coatings," Proc. First Internat. Congress on Adhesion Science and Technology, pp. 255-263 (1995) Abstract only |
| | Kaya, "The effect of pore fluid contamination on a selected physico-chemical parameters of fine grained soils (Adsorption, Conductivity), Vol. 57-05B, p. 3354 (1996) Abstract only |

| | | | |
|--|---|--|----------------------------|
| FORM PTO-1449 (REV. 1-80) | DEC 12 2004 U.S. PATENT & TRADEMARK OFFICE | Atty. Docket No. CBK03073 (3600-374-44) | Application No. 10/650,124 |
| SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT | | APPLICANT: REZNEK et al. Filing Date: August 27, 2003 | Group Art Unit: 3623 |

| | |
|------|--|
| /LA/ | Qin, "Adhesion properties of polymeric materials (Asphalts, Cohesion), Vol. 57-02B, p. 1260 (1995) Abstract only |
| | Stepanov, "Electrocapillary behaviour of liquid bismuth in binary melts of strontium chloride with sodium and cesium chlorides," Ehlektrokimiya, Vol. 30, No. 8, pp. 1032-1038 (1994) Abstract only |
| | Kulawik, et al., "Kinetics of the molecular interactions in some extraction system," ISEC '88 International solvent extraction Conference, Vol. 2, pp. 77-78 (1988) Abstract only |
| | Nardin et al., "Stress transfer analysis in fibre/elastomer interfaces," Comptes-Rendus des Huitiemes Journées Nationales sur les Composites, "pp. 289-300 (1992) Abstract only |
| | Maugis, "Adherence and Fracture Mechanics," Adhesive Bonding, pp. 303-335 (1991) Abstract only |
| | Wan et al., "Surface forces at crack interfaces in mica in the presence of capillary condensation," Acta Metallurgica et Materialia, Vol. 38, No. 11, pp. 2073-2083 (1990) Abstract only |
| | Savenko et al., "Effect of diamond-like carbon coatings on the mechanical properties of subsurface layers of single crystals of silicon," Physics and Chemistry of Materials Treatment, Vol. 31, No. 2, pp. 149-153 (1997) Abstract only |
| | Lellig et al., "Glass and polymer: wetting and adhesion," Glass Science and Technology, Vol. 69, No. 11, pp. 357-367 (1996) Abstract only |
| | Maugis, "Adherence of elastomers: fracture mechanics aspects," Journal of Adhesion, Vol. 23, No. 1, pp. 61-66 (1987) Abstract only |
| | Riande et al., "Fundamental aspects of the adhesion of polymers," Revista de Plasticos Modernos, Vol. 80, No. 530, pp. 170-179 (2000) Abstract only |
| | Gilbert, "Surface treatments for particulate fillers in plastics," Plastics Additives. AN A-Z reference, pp. 590-603 (1998) Abstract only |
| | Maltese, "Interfacial energy between polymers," Materie Plastiche ed Elastomeri, VVol. 64, Nos. 1/2, pp. 74-78 (1999) Abstract only |
| | Cherry et al., "Predicting work of adhesion using molecular modeling," Adhesion '96, Conference Proceed., Vol. 1, pp. 299-304 (1996) Abstract only |
| | Feinerman et al., "Rule of interfacial equilibrium," J. Adhesion, Vol. 60, Nos. 1-4, pp. 99-112, (1997) Abstract only |
| | Geraghty et al., "Investigation of parameters influencing bioadhesive properties of myverol 18-99/water gels," Biomaterials, Vol. 18, No. 1, pp. 63-67 (1997) Abstract only |
| | Wimolkietasak et al., "Directly paintable, high adhesion polyolefin compounds, Plast' 21 No. 43, pp. 44-47 (1995) Abstract only |
| | Drzal, et al., "Adhesion of carbon fibres to polycarbonate matrices: interphase composition and structure," Antec '95. Vol. II, Conference Proceedings, pp. 2877-2881 (1995) Abstract only |
| | Moore, "Wetting in rubber-to-metal bonding agents," Rubb. Plast. News, Vol. 24, No. 7, pp. 17-18 (1994) Abstract only |
| | Mangipudi et al., "Adhesion of thin polymer films: Effects of surface and interfacial energies and rheological properties," Antec '93 Conference Proceedings, Vol. III, pp. 3099-3100, (1993) Abstract only |
| ✓ | Bautista et al., "Surface characterization of polypropylene used as a matrix in composite materials," Rev. Plast. Mod. Vol. 66, No. 449, pp. 505-509 (1993) Abstract only |

| | | | |
|--|------------|--|----------------------------|
| FORM PTO-1449 (REV 7-80) | DEC 1 2004 | App. Docket No. BK03073 (3600-374-44) | Application No. 10/650,124 |
| SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT | | APPLICANT: REZNEK et al. Filing Date: August 27, 2003 | |
| | | Group Art Unit: 3623 | |

previously
considered

| | |
|------|--|
| /LA/ | Pritykin et al., "New thermodynamic characteristics of polymer adhesive properties," International Adhesion Conference, p 11.1-3 (1984) Abstract only |
| /LA/ | Moskvitin, "Physicochemical Principles of Gluing and Adhesion processes, NSF, Rpt. No. SFCISI-Agr (TT-68-50368, p. 197 (1969) Abstract only |
| /LA/ | Mayne, "Further developments with epoxy/polyamine films," Corros. Sci., Vol. 35, Nos. 5/8, pp. 1359-1361 (1993) Abstract only |
| /LA/ | Padday, "Spreading, wetting, and contact angles," J. Adhes. Sci. Tech., Vol. 6, No. 12, pp. 1347-1358 (1992) Abstract only |
| /LA/ | Mark, "Future improvements in cohesive and adhesive strength of polymers. I.," Adhesives Age, Vol. 22, No. 7, pp. 35-40 (1979) Abstract only |
| | Hansen, "The three dimensional solubility parameter - key to paint component affinities: I. Solvents, Plasticizers, Polymers, and Resins," Journal of Paint Technology, Vol. 39, No. 505, pp. 104-117 (1967) |
| | Hansen, "The three dimensional solubility parameter - key to paint component affinities: II and III - II. Solvents, Plasticizers, Polymers, and Resins," Journal of Paint Technology, Vol. 39, No. 511, pp. 505-510 (1967) |
| | Hansen, "III. Independent calculation of the parameter components," Journal of Paint Technology, Vol. 39, No. 511, pp. 511-514 (1967) |
| | Hansen et al., "On the use of cohesion parameters to characterize surfaces," J. Adhesion, Vol. 15, pp. 275-286 (1983) |
| | Hansen, "Cohesion parameters for surfaces, pigments, and fillers," Surface Coatings International Vol. 8, pp. 386-391, (1997) |
| | Shareef et al., "Suspension interaction of pigments in solvents: characterization of pigment surfaces in terms of three-dimensional solubility parameters of solvents," Journal of Coatings Technology, Vol. 58, No. 733, pp. 35-44 (1986) |
| | Vinther, "Application of the concepts solubility parameter and pigment charge," Chemie des Peintures Engl. Vol. 34, No. 10, pp. 363-372 (1971) |
| | Schreiber, "Solvent balance, dispersion and rheological properties of pigmented polymer compositions," Journal of Paint Technology, Vol. 46, No. 598, pp. 36-39 (1974) |
| | Burrell, "The challenge of the solubility parameter concept," Journal of Paint Technology, Vol. 40, No. 520, pp. 197-208 (1968) |
| | Trudgian, "The pattern of solvent-resin-pigment affinities," Official Digest, Presented at the 41 st Annual Meeting of the Federation of Societies for Paint Technology, pp. 1210-1231 (1963) |
| | Schroder, Colloid chemistry aids to formulating inks and paints, Harmonization of the energetics of raw materials by using the solubility parameter concept," Vol. 5, No. 98, pp. 334-340 (no date) |
| | Chasey, "Methods for evaluating oil/polymer interactions in carbon black filled compounds," Rubber World, pp. 35-40 (1993) |
| | Wolff, et al., "Filler-elastomer interactions. Part VII. Study on bound rubber," Rubber Chemistry and Technology, Vol. 66, No. 2, pp. 163-177 (1993) |
| | Barton, "CRC Handbook of solubility parameters and other cohesion parameters," pp. 1-21, (1991) |
| | Kaya, et al., "Interfacial parameters and work of adhesion in soil-liquid systems," Geotechnical Testing Journal, Vol. 23, No. 4, pp. 464-471 (2000) |

| | | |
|--|--|----------------------------|
| FORM PTO-1449 (REV 7-80) | Applicant: Docket No. CBK 03073 (3600-374-44) | Application No. 10/650,124 |
| SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT | APPLICANT: REZNEK et al. Filing Date: August 27, 2003 | Group Art Unit: 3623 |

previously considered

| | |
|---|-----------------|
| EXAMINER | DATE CONSIDERED |
| /Lyle Alexander/ | 06/21/2010 |
| <p>*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.</p> | |

Copies of the non-USP references considered here can be found in the related application 10/649,347.